

Product Data And Specifications

Stainless Steel Float Valves

The top of the Raindrop float valve range, these are designed to resist corrosion in the most severe water conditions found in the Agricultural and Mining Industries.

- Available in High Pressure and Low Pressure versions.
- Capable of handling pressures up to 90PSI (700Kpa) depending on the length of rod and size of float.
- Available in 25mm (1"), 32mm (1-¼"), 40mm (1-½"), 50mm (2") & 80mm (3")
- Features a replaceable threaded poly insert and replaceable rubbers, stainless steel fasteners and a variety of accessories.
- Options include: Surface mount with polystyrene float or poly float or underwater installation with chain extension.


Product Models	Code
1" Float Valve, Complete With Stem, Bullet, And Pin	YSFV100
1-¼" Float Valve, Complete With Stem, Bullet, And Pin	YSFV125
1-½" Float Valve, Complete With Stem, Bullet, And Pin	YSFV150
2" Float Valve, Complete With Stem, Bullet, And Pin	YSFV200
3" Float Valve, Complete With Stem, Bullet, And Pin	YSFV300
1" Float Valve, Bare, Without Stem Or Bullet End	YSFVB100
1-¼" Float Valve, Bare, Without Stem Or Bullet End	YSFVB125
1-½" Float Valve, Bare, Without Stem Or Bullet End	YSFVB150
2" Float Valve, Bare, Without Stem Or Bullet End	YSFVB200








Product Data And Specifications









Product Data And Specifications

